

	Type	Hits	Search Text	DBs
1	BRS	3	((microinstruction micro-instruction) with predict\$5 with branch) and ((mispredict\$5 mis-predict) with recover\$5)	USPAT
2	BRS	3	((microinstruction micro-instruction) with predict\$5 with branch) and ((mispredict\$5 mis-predict) with recover\$5)	USPAT
3	BRS	2	((microinstruction micro-instruction) and ((mispredict\$5 mis-predict) with recover\$5 with flush\$4))	USPAT
4	BRS	0	((microinstruction micro-instruction) and ((predict\$5 with branch with "not taken") same flag))	USPAT
5	BRS	0	((microinstruction micro-instruction) and ((predict\$5 with branch with "not taken")))	USPAT
6	BRS	0	((microinstruction micro-instruction) and ((predict\$5 with "not taken")))	USPAT
7	BRS	0	((predict\$5 with "not taken"))	USPAT
8	BRS	91	((microinstruction micro-instruction) and ((mispredict\$5 mis-predict) with recover\$5))	USPAT
9	BRS	0	((predict\$5 with ("not" near2 taken)))	USPAT
10	BRS	14823 6	((predict\$5))	USPAT
11	BRS	3378	((predict\$5 with taken))	USPAT
12	BRS	0	((predict\$5 with taken with "not"))	USPAT
13	BRS	0	((predict\$5 with taken with "not"))	EPO; JPO; IBM_TDB
14	BRS	51	((microinstruction micro-instruction) and ((predict\$5 with branch with taken) same flag))	USPAT
15	BRS	0	((microinstruction micro-instruction) and ((predict\$5 with branch) same (speculative with flag)))	USPAT
16	BRS	20	((predict\$5 with branch) same (speculative with flag))	USPAT
17	BRS	17	((microinstruction micro-instruction) near4 cache) and (macroinstruction macro-instruction)	USPAT
18	BRS	0	08/934,857.an.	USPAT
19	BRS	0	08/934,857.ap.	USPAT

	Type	Hits	Search Text	DBs
45	BRS	9	invalid adj target adj address	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	72	branch near2 address with invalid	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	30	branch near2 address near4 invalid	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	8	black.in. and data.ti. and processor.ti. and branch.ti.	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	18	phantom adj branch\$3	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	66	phantom near2 branch\$3	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
51	BRS	11	execut\$3 with (phantom near2 branch\$3)	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	4	predict\$4 with (phantom near2 branch\$3)	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB